## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

## Listing of Claims:

- 1-24. (Canceled)
- (Currently Amended) A solid detergent composition comprising:
- (a) an effective detersive amount of a neutralized anionic surfactant wherein the neutralized anionic surfactant comprises a result of neutralizing:
  - (i) an anionic surfactant comprising alkyl benzene sulfonate; and
- (ii) at least one of alkali metal salt, alkaline metal earth salt, and mixtures thereof:
  - (b) an effective detersive amount of an alkyl polyglycoside surfactant;
  - (c) an effective detersive amount of an alcohol alkoxylate; and
- (d) an effective hardening amount of <u>polyethylene glycol having a molecular weight</u>
  of about 1,000 to 100,000; and a hardening agent, wherein the hardening agent comprises about
  1-wt.% to about 75 wt.% based on the weight of the detergent composition, of polyethylene
  glycol
  - (e) wherein the solid detergent composition is provided in the form of a block.
- 26. (Currently Amended) A solid detergent composition according to claim 25, wherein the composition further comprises an effective hardening amount of a hydratable salthardening agent further comprises a hydratable salt.
- 27. (Previously Presented) A solid detergent composition according to claim 26, wherein the composition comprises up to about 50 wt.% of the hydratable salt, based on the weight of the detergent composition.

- 28. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 3 wt.% to about 15 wt.% of the polyethylene glycol.
  - 29. (Canceled)
- 30. (Previously Presented) A composition according to claim 28, wherein the polyethylene glycol has a molecular weight of from about 1,450 to about 20,000.
- 31. (Previously Presented) A composition according to claim 25, wherein the composition further comprises an effective hardening amount of inorganic salthardening agent comprises an inorganic salt.
- 32. (Previously Presented) A composition according to claim 31, wherein the inorganic salt comprises acetate salt.
- 33. (Previously Presented) A composition according to claim 25, wherein the composition further comprises an effective hardening amount of polyethylene glycol and inorganic salthardening agent comprises a mixture of polyethylene glycol and inorganic salt.
- 34. (Previously Presented) A composition according to claim 25, wherein the neutralized anionic surfactant comprises a result of neutralizing with a mixture of alkali metal salt and alkaline earth salt.
- 35. (Previously Presented) A composition according to claim 34, wherein the alkyl metal salt comprises a sodium salt, and the alkaline earth salt comprises a magnesium salt.
- 36. (Previously Presented) A composition according to claim 35, wherein the sodium salt and the magnesium salt are provided in a molar ratio of about 3:1 to about 1:1.

- 37. (Previously Presented) A composition according to claim 35, wherein the molar ratio of the sodium salt to the magnesium salt is about 2:1.
- 38. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 1 wt.% to about 70 wt.% of the anionic surfactant.
- 39. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 35 wt.% to about 65 wt.% of the anionic surfactant.
- 40. (Previously Presented) A composition according to claim 25, wherein the alkyl polyglycoside surfactant comprises lauryl polyglycoside.
- 41. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 0.1 wt.% to about 15 wt.% of the alkyl polyglycoside surfactant.
- 42. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 5 wt.% to about 10 wt.% of the alkyl polyglycoside surfactant.
- 43. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 1 wt.% to about 30 wt.% of the alcohol alkoxylate.
- 44. (Previously Presented) A composition according to claim 25, wherein the composition comprises about 5 wt.% to about 15 wt.% of the alcohol alkoxylate.
- 45. (Previously Presented) A composition according to claim 25, wherein the composition further comprises a bleaching agent.
- 46. (Previously Presented) A composition according to claim 25, wherein the composition further comprises a chelating agent.

- 47. (Previously Presented) A composition according to claim 25, wherein the composition further comprises a defoaming agent.
- 48. (Previously Presented) A composition according to claim 25, wherein the composition further comprises an anti-redeposition agent.
- 49. (New) A composition according to claim 25, wherein the composition is dispensed from a mixer by extruding or casting.